

## SAFETY DATA SHEET

Version 6.5 Revision Date 03/29/2023 Print Date 11/11/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : L-Ascorbic acid

Product Number : A4403 Brand : Sigma CAS-No. : 50-81-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Combustible dust,

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram none
Signal Word Warning

Hazard statement(s)

May form combustible dust concentrations in air.

Precautionary none

statement(s)



## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Combustible dust

May form explosible dust-air mixture if dispersed.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Vitamin C

Antiscorbutic factor L-Threoascorbic acid

No components need to be disclosed according to the applicable regulations.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

water, snower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Millipore SiGMa

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Risk of dust explosion.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hvaiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry.

Light sensitive.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder b) Odor No data available

c) Odor Threshold No data availabled) pH No data available

e) Melting point/range: 190 - 194 °C (374 - 381 °F) - dec. point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point No data availableh) Evaporation rate No data available

i) Flammability (solid, May form combustible dust concentrations in air.

gas) Upper/lower

j) Upper/lower No data available flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.65 g/cm3 at 20 °C (68 °F)

Relative density
 No data available
 No data available
 Partition coefficient: No data available n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with: Aluminum Copper alloys



Zinc metal ions Oxidizing agents Copper Acids bases

#### 10.4 Conditions to avoid

Light.

no information available

## 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 11,900 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure



No data available

### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: CI7650000

Chronic ingestion of large doses may cause gastrointestinal disturbances including nausea and diarrhea, urinary effects involving urine acidification, oxalate and uric crystallizaton in the bladder and kidney, and decreased reaction times and psychomotor coordination. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 1,020 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: acidic

Toxicity to daphnia

and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 360 mg/l - 48 h

Remarks: (External MSDS)

Toxicity to algae IC50 - Desmodesmus subspicatus (green algae) - 1,750 mg/l - 72 h

Remarks: (External MSDS)

Toxicity to bacteria EC50 - Pseudomonas putida - 140 mg/l - 16 h

Remarks: (External MSDS)

#### 12.2 Persistence and degradability

Biodegradability Result: 97 % - Readily eliminated from water

(OECD Test Guideline 302B)

Ratio BOD/ThBOD 65 %

Remarks: Closed Bottle test(own results)

Ratio BOD/ThBOD 48 %

Remarks: Closed Bottle test(own results)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Sigma - A4403

Millipore SiGMa www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 03/29/2023 Print Date: 11/11/2023

